

# Papers in Quantum Mechanics and Quantum Information

- [1] Conserved quantities of field theory on discrete spacetime,  
H.Yamamoto, A.Hayashi, T.Hashimoto, M.Horibe,  
Progress of Theoretical Physics **93** (1995) 173 - 184.
- [2] How to quantize fields canonically on discrete space-time,  
T.Hashimoto, A.Hayashi, M.Horibe, H.Yamamoto,  
Progress of Theoretical Physics **94** (1995) 249 - 261.
- [3] New formulation of the Dirac equation on a Minkovski lattice,  
A.Hayashi, T.Hashimoto, M.Horibe, H.Yamamoto,  
Physical Review **D 55** (1997) 2987 - 2993.
- [4]  $2^D$ -component fermion on a (1+D)-dimensional Euclidean lattice with discrete chiral symmetries,  
M.Horibe, T.Hashimoto, A.Hayashi, H.Yamamoto,  
Physical Review **D 56** (1997) 6006 - 6009.
- [5] Wigner functions on a lattice,  
A.Takami, T.Hashimoto, M.Horibe, A.Hayashi,  
Physical Review **A 64** (2001) 032114.
- [6] Existence of the Wigner function with correct marginal distributions along tilted lines on a lattice,  
M.Horibe, A.Takami, T.Hashimoto, A.Hayashi,  
Physical Review **A 65** (2002) 032105.
- [7] Remote state preparation without oblivious conditions,  
A.Hayashi, T.Hashimoto, M.Horibe,  
Physical Review **A 67** (2003) 052302.
- [8] Can the Wigner function be determined by properties for translation and parity transformation on lattice ‘phase space’ ?,  
M.Horibe, T.Hashimoto, A.Hayashi,  
Journal of Physics A : Mathematical and General **36** (2003) 7601 - 7609.
- [9] Extended quantum color coding,  
A.Hayashi, T.Hashimoto, M.Horibe,  
Physical Review **A 71** (2005) 012326.

- [10] Solution to the King's problem with observables that are not mutually complementary,  
 M.Horibe, A.Hayashi, T.Hashimoto,  
 Physical Review **A 71** (2005) 032337.
- [11] Mean king's problem with mutually unbiased bases and orthogonal Latin squares,  
 A.Hayashi, M.Horibe, T.Hashimoto,  
 Physical Review **A 71** (2005) 052331.
- [12] Reexamination of optimal quantum state estimation of pure states,  
 A.Hayashi, T.Hashimoto, M.Horibe,  
 Physical Review **A 72** (2005) 032325.
- [13] Quantum pure-state identification,  
 A.Hayashi, M.Horibe, T.Hashimoto,  
 Physical Review **A 72** (2005) 052306.
- [14] Unambiguous pure-state identification without classical knowledge,  
 A.Hayashi, M.Horibe, T.Hashimoto,  
 Physical Review **A 73** (2006) 012328.
- [15] Optimal estimation of a physical observable's expectation value for pure states,  
 A.Hayashi, M.Horibe, T.Hashimoto,  
 Physical Review **A73** (2006) 062322.
- [16] Stationary quantum Markov process for the Wigner function  
 on a lattice phase space,  
T.Hashimoto, M.Horibe, A.Hayashi,  
 Journal of Physics A: Mathematical and Theoretical **40** (2007) 14253 - 14262.
- [17] Locality and nonlocality in quantum pure-state identification problems,  
 Y.Ishida, T.Hashimoto, M.Horibe, A.Hayashi,  
 Physical Review **A 78** (2008) 012309.
- [18] State discrimination with error margin and its locality,  
 A.Hayashi, T.Hashimoto, M.Horibe,  
 Physical Review **A 78** (2008) 012333.
- [19] Discrimination with error margin between two states:  
 Case of general occurrence probabilities,  
 H.Sugimoto, T.Hashimoto, M.Horibe, A.Hayashi,  
 Physical Review **A 80** (2009) 052322.

- [20] Unitary-process discrimination with error margin,  
T.Hashimoto, A.Hayshi, M.Hayashi, M.Horibe,  
Physical Review **A** **81** (2010) 062327.
- [21] Complete solution for unambiguous discrimination of three pure states  
with real inner products,  
H.Sugimoto, T.Hashimoto, M.Horibe, A.Hayshi,  
Physical Review **A** **82** (2010) 032338.

# Papers in Particle Physics

- [1] QCD Casimir effects with bag boundary at finite temperature,  
T.Hashimoto,  
Progress of Theoretical Physics **73** (1985) 1223 - 1234.
- [2] Production of  $Z(W)$  in association with a jet at unusually large transverse momentum,  
S.Barshay, O.Miyamura, T.Hashimoto,  
Physics Letters **158B** (1985) 77 - 80.
- [3] Mass shift of charmonium near deconfining temperature and possible detection in lepton-pair production,  
T.Hashimoto, O.Miyamura, K.Hirose, T.Kanki,  
Physical Review Letters **57** (1986) 2123 - 2126.
- [4] Two-photon decay of pseudoscalar mesons in hot hadronic matter,  
T.Hashimoto, K.Hirose, T.Kanki, O.Miyamura,  
Physical Review **D 37** (1988) 3331 - 3333.
- [5] Topological properties of an SU(3) gauge system near the critical temperature on an anisotropic lattice,  
T.Hashimoto, S.Hioki, K.Hirose, T.Kanki, A.Kawazoe, M.Masujima,  
O.Miyamura, Y.Osada,  
Physical Review **D 42** (1990) 620 - 629.
- [6] Analysis of momentum and multiplicity distributions for high energy multiparticle production processes based on the thermal three-cluster model-simulation,  
K.Kudo, T.Kiriyama, T.Shimada, I.Yoneda, T.Hashimoto, R.Nakamura,  
Progress of Theoretical Physics **88** (1992) 967 - 974.
- [7] Temperature-dependent structure in the mesonic channels of QCD,  
T.Hashimoto, A.Nakamura, I.-O.Stamatescu,  
Nuclear Physics **B 400** (1993) 267 - 305.
- [8] QCD with dynamical quarks at finite temperature: spectral structure in the mesonic channels,  
T.Hashimoto, A.Nakamura, I.-O.Stamatescu,  
Nuclear Physics **B 406** (1993) 325 - 339.

- [9] Scaling study of pure gauge lattice QCD by Monte Carlo renormalization group method,  
 QCD-TARO Collaboration : K.Akemi, M.Fujisaki, M.Okuda, Y.Tago,  
 Ph. de Forcrand, T.Hashimoto, S.Hioki, O.Miyamura, T.Takaishi,  
 A.Nakamura, I.-O.Stamatescu,  
 Physical Review Letters **71** (1993) 3063 - 3066.
  
- [10] QCD on the massively parallel computer AP1000,  
 QCD-TARO Collaboration : K.Akemi, M.Fujisaki, M.Okuda, Y.Tago,  
T.Hashimoto, S.Hioki, O.Miyamura, T.Takaishi, A.Nakamura,  
 Ph. de Forcrand, C.Hege, I.-O.Stamatescu,  
 International Journal of Modern Physics **C4** (1993) 1233 - 1253.
  
- [11] Does overrelaxed updating in lattice QCD improve critical slowing down ?,  
 QCD-TARO Collaboration : K.Akemi, M.Fujisaki, M.Okuda, Y.Tago,  
 Ph. de Forcrand, T.Hashimoto, S.Hioki, O.Miyamura, T.Takaishi,  
 A.Nakamura, I.-O.Stamatescu,  
 Physics Letters **B328** (1994) 407 - 410.
  
- [12] Intermittency and a phase transition in a lattice gas model,  
 E.R.Nakamura, K.Kudo, T.Hashimoto, I.Yoneda,  
 Physical Review **D 50** (1994) 283 - 286.
  
- [13] Quantum chromodynamics simulations on a non-dedicated highly parallel computer,  
 QCD-TARO Collaboration : K.Akemi, Ph. de Forcrand, M.Fujisaki,  
T.Hashimoto, H.C.Hege, S.Hioki, O.Miyamura, A.Nakamura, M.Okuda,  
 I.-O.Stamatescu, Y.Tago, T.Takaishi,  
 Computer Physics Communications **90** (1995) 201 - 214.
  
- [16] Analysis of intermittent phenomena for high energy multiparticle production processes,  
 K.Kudo, R.Nakamura, T.Hashimoto, K.Sugioka, H.Matsuda,  
 T.Morishita, Y.Tamura, Y.Yoda,  
 Progress of Theoretical Physics **94** (1995) 837 - 843.
  
- [17] Strange and charmed hadron spectroscopy on a  $32^3 \times 48$  lattice at  $\beta=6.3$ ,  
 QCD-TARO Collaboration : Ph. de Forcrand, M.Fujisaki, M.Okuda,  
T.Hashimoto, S.Hioki, O.Miyamura, A.Nakamura, I.-O.Stamatescu,  
 Y.Tago, T.Takaishi,  
 Nuclear Physics **B 460** (1996) 413 - 426.

- [20] Renormalization group flow of SU(3) lattice gauge theory.  
Numerical studies in a two coupling space,  
QCD-TARO Collaboration : Ph. de Forcrand, M.Garsía Pérez,  
T.Hashimoto, S.Hioki, H.Matsufuru, O.Miyamura, A.Nakamura,  
I.-O.Stamatescu, T.Takaishi, T.Umeda  
Nuclear Physics **B** **577** (2000) 263 - 278.
- [21] Determinant of a new fermionic action on a lattice. I,  
A.Takami, T.Hashimoto, M.Horibe, A.Hayashi,  
Physical Review **D** **62** (2000) 074502.
- [22] Determinant of a new fermionic action on a lattice. II,  
A.Takami, T.Hashimoto, M.Horibe, A.Hayashi,  
Physical Review **D** **62** (2000) 077502.
- [23] Meson correlators in finite temperature lattice QCD,  
QCD-TARO Collaboration : Ph. de Forcrand, M. García Pérez,  
T.Hashimoto, S.Hioki, H.Matsufuru, O.Miyamura, A.Nakamura,  
I.-O.Stamatescu, T.Takaishi, T.Umeda,  
Physical Review **D** **63** (2001) 054501.

## Conference Papers

- [1] Detection of the charmonium mass shift near the deconfinement temperature,  
T.Hashimoto, O.Miyamura, K.Hirose, T.Kanki,  
Hadronic Matter in Collision, World Scientific (1986) 516 - 524.
- [2] Charmonium sum rule at finite temperature,  
T.Hashimoto, K.Hirose, T.Kanki, O.Miyamura,  
Hadronic Matter in Collision, World Scientific (1986) 525 - 532.
- [3] Mass shift of neutral vector and pseudoscalar bosons near the critical temperature and its observation by electromagnetic probe,  
T.Hashimoto, K.Hirose, T.Kanki, O.Miyamura,  
Nuclear Physics **A** **478** (1988) 687c - 693c.
- [4] Mass shifts of charmoniums and electromagnetic signals,  
T.Hashimoto, K.Hirose, T.Kanki, O.Miyamura,  
Zeitschrift für Physik **C** **38** (1988) 251 - 254.
- [5] Meson masses at finite temperature on an anisotropic lattice,  
A.Nakamura, I.-O.Stamatescu, S.Hioki, O.Miyamura, Y.Osada,  
K.Hirose, T.Kanki, T.Hashimoto,  
Nuclear Physics **B (Proc. Suppl.)** **9** (1989) 373 - 377.
- [6] Topological quantities around critical temperature on an anisotropic lattice,  
T.Hashimoto, S.Hioki, K.Hirose, T.Kanki, A.Kawazoe, M.Masujima,  
O.Miyamura, Y.Osada,  
Nuclear Physics **B (Proc. Suppl.)** **9** (1989) 425 - 429.
- [7] Magnetic configurations in SU(3) lattice near deconfining transition  
- Charge and fermionic zeromode in cooling stage -,  
T.Hashimoto, S.Hioki, K.Hirose, T.Kanki, O.Miyamura, Y.Osada,  
Nuclear Physics **B (Proc. Suppl.)** **17** (1990) 189 - 193.
- [8] Finite temperature calculations on anisotropic lattices,  
I.Bender, T.Hashimoto, F.Karsch, V.Linke, A.Nakamura, M.Schiestl, I.-O.Stamatescu,  
Nuclear Physics **B (Proc. Suppl.)** **17** (1990) 387 - 390.
- [9] Real time quantum mechanics on a lattice,  
T.Hashimoto, S.Hioki, K.Hirose, T.Kanki, A.Kawazoe, O.Miyamura,

Y.Osada, I.-O.Stamatescu,

Nuclear Physics **B (Proc. Suppl.)** **17** (1990) 723 - 726.

- [10] Topological properties of SU(3) lattice gauge system,  
T.Hashimoto, S.Hioki, K.Hirose, T.Kanki, A.Kawazoe, O.Miyamura, Y.Osada,  
Nuclear Physics **A** **525** (1991) 573c - 576c.
- [11] Results from finite temperature calculations on anisotropic lattices,  
I.Bender, T.Hashimoto, F.Karsch, V.Linke, A.Nakamura, M.Schiestl,  
I.-O.Stamatescu,  
Nuclear Physics **B (Proc. Suppl.)** **20** (1991) 329 - 332.
- [12] Meson masses at finite temperature,  
T.Hashimoto, A.Nakamura, I.-O.Stamatescu,  
High energy nuclear collisions and quark gluon plasma,  
World Scientific (1991) 48 - 52.
- [13] Convolution theory for a phase transition between hadronic and quark matter,  
E.R.Nakamura, K.Kudo, T.Hashimoto, I.Yoneda,  
High energy nuclear collisions and quark gluon plasma,  
World Scientific (1991) 239 - 244.
- [14] Cluster model approach to the multiplicity distributions in hadron nucleus collisions,  
T.Hashimoto, K.Kudo, I.Yoneda, E.R.Nakamura, J.G.Shen,  
High energy nuclear collisions and quark gluon plasma,  
World Scientific (1991) 324 - 325.
- [15] Hadron spectroscopy on a  $32^3 \times 48$  lattice,  
QCD\_TARO Collaboration : K.Akemi, Ph. de Forcrand, M.Fujisaki,  
T.Hashimoto, H.C.Hege, S.Hioki, J.Makino, O.Miyamura, A.Nakamura,  
M.Okuda, I.-O.Stamatescu, Y.Tago, T.Takaishi,  
Nuclear Physics **B (Proc. Suppl.)** **26** (1992) 293 - 295.
- [16] Full QCD and QED at finite temperature and chemical potential,  
I.Bender, T.Hashimoto, F.Karsch, V.Linke, A.Nakamura, M.Plewnia,  
I.-O.Stamatescu, W.Wetzel,  
Nuclear Physics **B (Proc. Suppl.)** **26** (1992) 323 - 325.
- [17] SU(3) renormalization group study in parallel computer AP1000,  
QCD\_TARO Collaboration : K.Akemi, Ph. de Forcrand, M.Fujisaki,  
T.Hashimoto, H.C.Hege, S.Hioki, J.Makino, O.Miyamura, A.Nakamura,

M.Okuda, I.-O.Stamatescu, Y.Tago, T.Takaishi,  
Nuclear Physics **B (Proc. Suppl.)** **26** (1992) 420 - 422.

- [18] QCD on the highly parallel computer AP1000,  
QCD\_TARO Collaboration : K.Akemi, Ph. de Forcrand, M.Fujisaki,  
T.Hashimoto, H.C.Hege, S.Hioki, J.Makino, O.Miyamura, A.Nakamura,  
M.Okuda, I.-O.Stamatescu, Y.Tago, T.Takaishi,  
Nuclear Physics **B (Proc. Suppl.)** **26** (1992) 644 - 646.
- [19] Autocorrelation in updating pure SU(3) lattice gauge theory by the use of overrelaxed algorithms,  
QCD\_TARO Collaboration : K.Akemi, Ph. de Forcrand, M.Fujisaki,  
T.Hashimoto, H.C.Hege, S.Hioki, O.Miyamura, A.Nakamura, M.Okuda,  
I.-O.Stamatescu, Y.Tago, T.Takaishi,  
Nuclear Physics **B (Proc. Suppl.)** **30** (1993) 253 - 256.
- [20] Study of spatial size effect in quenched Wilson hadron spectroscopy at  $\beta=6.3$ ,  
QCD\_TARO Collaboration : K.Akemi, Ph. de Forcrand, M.Fujisaki,  
T.Hashimoto, H.C.Hege, S.Hioki, O.Miyamura, A.Nakamura, M.Okuda,  
I.-O.Stamatescu, Y.Tago, T.Takaishi,  
Nuclear Physics **B (Proc. Suppl.)** **30** (1993) 373 - 376.
- [21] Monte Carlo renormalization group study at large  $\beta$  in confinement region,  
QCD\_TARO Collaboration : K.Akemi, M.Fujisaki, M.Okuda, Y.Tago,  
Ph. de Forcrand, T.Hashimoto, C.Hege, S.Hioki, O.Miyamura,  
T.Takaishi, A.Nakamura, I.-O.Stamatescu,  
Nuclear Physics **B (Proc. Suppl.)** **30** (1993) 517 - 520.
- [22] Analysis of factorial moment for semi-selfsimilar cascade model,  
K.Kudo, T.Hashimoto, T.Matsuda, T.Morishita, K.Sugioka,  
Y.Tamura, Y.Yoda, E.R.Nakamura,  
Hadrons and nuclei from QCD, World Scientific (1993) 262 - 265.
- [23] A phase transition picture for intermittency,  
E.R.Nakamura, K.Kudo, T.Hashimoto, I.Yoneda,  
Hadrons and nuclei from QCD, World Scientific (1993) 375 - 379.
- [24] Scaling study of pure SU(3) theory - The QCD\_TARO Collaboration,  
K.Akemi, M.Fujisaki, M.Okuda, Y.Tago, T.Hashimoto, S.Hioki, O.Miyamura,  
T.Takaishi, A.Nakamura, Ph. de Forcrand, C.Hege, I.-O.Stamatescu,  
Nuclear Physics **B (Proc. Suppl.)** **34** (1994) 246 - 252.

- [25] QCD and QED at finite temperature and chemical potential,  
 I.Bender, H.J.Rothe, M.Plewnia, W.Wetzel, T.Hashimoto, A.Nakamura,  
 I.-O.Stamatescu,  
 Nuclear Physics **B (Proc. Suppl.) 34** (1994) 307 - 310.
  
- [26] Quenched Wilson hadron spectroscopy on a  $32^3 \times 48$  lattice at  $\beta=6.3$ ,  
 QCD\_TARO Collaboration : K.Akemi, Ph. de Forcrand, M.Fujisaki,  
T.Hashimoto, S.Hioki, O.Miyamura, A.Nakamura, M.Okuda, I.-O.Stamatescu,  
 Y.Tago, T.Takaishi,  
 Nuclear Physics **B (Proc. Suppl.) 34** (1994) 338 - 340.
  
- [27] Systematic study of autocorrelation time in pure SU(3) lattice gauge,  
 QCD\_TARO Collaboration : K.Akemi, Ph. de Forcrand, M.Fujisaki,  
T.Hashimoto, S.Hioki, O.Miyamura, A.Nakamura, M.Okuda, I.-O.Stamatescu,  
 Y.Tago, T.Takaishi,  
 Nuclear Physics **B (Proc. Suppl.) 34** (1994) 789 - 791.
  
- [28] Analyzing finite temperature mesonic correlators,  
 QCD\_TARO Collaboration : K.Akemi, M.Fujisaki, M.Okuda, Y.Tago,  
T.Hashimoto, S.Hioki, O.Miyamura, A.Nakamura, Ph. de Forcrand,  
 I.-O.Stamatescu, T.Takaishi,  
 Nuclear Physics **B (Proc. Suppl.) 42** (1995) 445 - 447.
  
- [29] MCRG study and renormalized coupling constants,  
 QCD\_TARO Collaboration : M.Fujisaki, M.Okuda, Y.Tago, Ph. de Forcrand,  
T.Hashimoto, S.Hioki, O.Miyamura, A.Nakamura, F.Shoji, I.-O.Stamatescu,  
 T.Takaishi,  
 Nuclear Physics **B (Proc. Suppl.) 42** (1995) 805 - 807.
  
- [30] The structure of mesons near  $T_c$  - The QCD\_TARO Collaboration -,  
 K.Akemi, M.Fujisaki, M.Okuda, Y.Tago, T.Hashimoto, S.Hioki, O.Miyamura,  
 H.Matsufuru, A.Nakamura, Ph. de Forcrand, I.-O.Stamatescu, T.Takaishi,  
 Color confinement and hadrons, World Scientific (1995) 129 - 136.
  
- [31] An international computer experiment - The QCD\_TARO Collaboration -,  
 K.Akemi, M.Fujisaki, M.Okuda, Y.Tago, T.Hashimoto, S.Hioki, O.Miyamura,  
 H.Matsufuru, A.Nakamura, Ph. de Forcrand, I.-O. Stamatescu, T.Takaishi,  
 Progress of Theoretical Physics **Supplement 122** (1996) 41 - 49.
  
- [32] Finite temperature gauge theory on anisotropic lattices,  
 QCD\_TARO Collaboration : M.Fujisaki, M.Okuda, Y.Tago,

T.Hashimoto, S.Hioki, H.Matsufuru, O.Miyamura, A.Nakamura,  
Ph. de Forcrand, T.Takaishi, M.García Pérez, I.-O.Stamatescu,  
Nuclear Physics **B (Proc. Suppl.)** **53** (1997) 426 - 428.

- [33] Search for effective lattice action of pure QCD,  
QCD\_TARO Collaboration : Ph. de Forcrand, M.Fujisaki,  
T.Hashimoto, S.Hioki, H.Matsufuru, O.Miyamura, A.Nakamura,  
M.Okuda, I.-O.Stamatescu, T.Takaishi, Y.Tago,  
Nuclear Physics **B (Proc. Suppl.)** **53** (1997) 938 - 941.
- [34] Spectral analysis of mesonic channels at finite temperature on anisotropic lattices,  
QCD Taro Collaboration : Ph.de Forcrand, M.Fujisaki, T.Hashimoto,  
S.Hioki, H.Matsufuru, O.Miyamura, A.Nakamura, M.Okuda, I.-O.Stamatescu,  
T.Tago, T.Takaishi,  
Nuclear Physics **B (Proc. Suppl.)** **63A-C** (1998) 460 - 462.
- [35] Renormalization group coupling flow of SU(3) gauge theory,  
QCD\_TARO Collaboration : Ph. de Forcrand, T.Hashimoto, S.Hioki,  
H.Matsufuru, O.Miyamura, A.Nakamura, I.-O.Stamatescu, T.Takaishi,  
Nuclear Physics **B (Proc. Suppl.)** **63A-C** (1998) 928 - 930.
- [36] Comments on Nelson's quantum stochastic process  
- tunneling time and domain structure -,  
T.Hashimoto,  
Quantum Information, World Scientific (1999) 91 - 102.
- [37] Finite temperature QCD on anisotropic lattices,  
QCD\_TARO Collaboration : Ph. de Forcrand, M. García Pérez,  
T.Hashimoto, S.Hioki, H.Matsufuru, O.Miyamura, A.Nakamura,  
I.-O.Stamatescu, T.Takaishi, T.Umeda,  
Nuclear Physics **B (Proc. Suppl.)** **73** (1999) 420 - 425.
- [38] Effects of chemical potential on hadron masses at finite temperature,  
QCD\_TARO Collaboration : Ph. de Forcrand, M. García Pérez,  
T.Hashimoto, S.Hioki, H.Matsufuru, O.Miyamura, A.Nakamura,  
I.-O. Stamatescu, T.Takaishi, T.Umeda,  
Nuclear Physics **B (Proc. Suppl.)** **73** (1999) 477 - 479.
- [39] Scaling analysis of improved actions for pure SU(3) gauge theory,  
QCD\_TARO Collaboration : Ph. de Forcrand, M. García Pérez,  
T.Hashimoto, S.Hioki, H.Matsufuru, O.Miyamura, A.Nakamura,

I.-O. Stamatescu, T.Takaishi, T.Umeda,  
Nuclear Physics **B (Proc. Suppl.)** **73** (1999) 924 - 926.

- [40] Topology and mesons below and above  $T_c$ ,  
QCD\_TARO Collaboration : Ph. de Forcrand, M. García Pérez,  
T.Hashimoto, J.E.Hetrick, S.Hioki, E.Laermann, J.F.Lagae, H.Matsufuru,  
O.Miyamura, T.Umeda, A.Nakamura, O.Philipsen, I.-O.Stamatescu, T.Takaishi,  
Understanding deconfinement in QCD, World Scientific (1999) 94 - 100.
- [41] Hadronic masses at high temperature by lattice QCD approach,  
QCD\_TARO Collaboration : Ph. de Forcrand, M. García Pérez,  
T.Hashimoto, S.Hioki, Y.Liu, H.Matsufuru, O.Miyamura, A.Nakamura,  
T.Umeda, I.-O.Stamatescu, T.Takaishi,  
New directions in quantum chromodynamics, AIP (1999) 454-463.
- [42] Effects of chemical potential on hadron masses in the phase transition region,  
QCD\_TARO Collaboration : Ph. de Forcrand, M.García Pérez,  
T.Hashimoto, S.Hioki, Y.Liu, H.Matsufuru, O.Miyamura, A.Nakamura,  
I.-O. Stamatescu, T.Takaishi, T.Umeda,  
Nuclear Physics **B (Proc. Suppl.)** **83-84** (2000) 408 - 410.
- [43] A Study of meson correlators at finite temperature,  
QCD\_TARO Collaboration : Ph. de Forcrand, M. García Pérez,  
T.Hashimoto, S.Hioki, R.Katayama, H.Matsufuru, O.Miyamura, A.Nakamura,  
I.-O.Stamatescu, T.Takaishi, T.Umeda,  
Nuclear Physics **B (Proc. Suppl.)** **83-84** (2000) 411 - 413.
- [44] Monte Carlo renormalization group analysis of QCD  
in two-dimensional coupling space,  
QCD\_TARO Collaboration : Ph. de Forcrand, M. García Pérez,  
T.Hashimoto, S.Hioki, H.Matsufuru, O.Miyamura, A.Nakamura,  
I.-O.Stamatescu, T.Takaishi, T.Umeda,  
Nuclear Physics **B (Proc. Suppl.)** **83-84** (2000) 872 - 874.
- [45] The estimation of tunneling time by the use of Nelson's quantum stochastic process  
- towards a comparison with a neutron interference experiment -,  
T.Hashimoto, T.Tomomura,  
Qunatum Information II, World Scientific (2000) 49 - 60.
- [46] Quest for more information from lattice QCD simulations,  
QCD\_TARO Collaboration : Ph. de Forcrand, M. García Pérez,

T.Hashimoto, S.Hioki, H.Matsufuru, O.Miyamura, T.Umeda, A.Nakamura,  
I.-O.Stamatescu, Y.Tago, T.Takaishi,  
Progress of Theoretical Physics **Supplement 138** (2000) 11 - 17.

- [47] Tunneling effect based on the Nelson's quantum stochastic process approach  
- comparison with a neutron spin echo experiment",  
T.Hashimoto, T.Tomomura,  
Quantum Information III, World Scientific (2001) 35 - 43.
- [48] Chemical potential response of meson masses at finite temperature,  
QCD\_TARO Collaboration : Ph. de Forcrand, T.Hashimoto, S.Hioki,  
Y.Liu, H.Matsufuru, O.Miyamura, A.Nakamura, T.Takaishi, T.Umeda,  
Nuclear Physics **B (Proc. Suppl.) 94** (2001) 453 - 456.
- [49] Mesons above  $T_c$ ,  
QCD\_TARO Collaboration : Ph. de Forcrand, M.García Pérez,  
T.Hashimoto, S.Hioki, H.Matsufuru, O.Miyamura, A.Nakamura,  
I.-O.Stamatescu, T.Takaishi, T.Umeda,  
Nuclear Physics **B (Proc. Suppl.) 109A** (2002) 20 - 24.
- [50] Quantum Markov process on a lattice,  
T.Hashimoto, M.Horibe, A.Hayashi,  
Nuclear Physics **B (Proc. Suppl.) 129 & 130** (2004) 892 - 894.